

Single Sheave Johnson Snatch Blocks

2-30 METRIC TONS WLL



SINGLE SHEAVE
W/SHACKLE



SINGLE SHEAVE W/HOOK
& OPTIONAL LATCH



SINGLE SHEAVE
TAILBOARD

W.L.L (METRIC TON)		MODEL	SWIVEL HOOK	SWIVEL HOOK W/LATCH	SWIVEL SHACKLE		TAILBOARD (NO FITTING)	
SHV OD	WIRE ROPE (IN)		WT (LBS.)	WT (LBS.)	MODEL	WT (LBS.)	MODEL	WT (LBS.)
2 MT								
3	5/16 - 3/8	SB 2S 3B H	5	5	SB 2S 3B S	5	SB 2S 3B T	3
4 MT								
4	3/8 - 1/2	SB 4S 4B H	14	15	SB 4S 4B S	16	SB 4S 4B T	9
4	3/8 - 1/2	SB 4S 4R H	14	15	SB 4S 4R S	16	SB 4S 4R T	9
6	3/8 - 1/2	SB 4S 6B H	19	19	SB 4S 6B S	21	SB 4S 6B T	14
6	3/8 - 1/2	SB 4S 6R H	19	19	SB 4S 6R S	21	SB 4S 6R T	14
8	3/8 - 1/2	SB 4S 8B H	24	25	SB 4S 8B S	26	SB 4S 8B T	19
8	3/8 - 1/2	SB 4S 8R H	24	25	SB 4S 8R S	26	SB 4S 8R T	19
10	3/8 - 1/2	SB 4S 10B H	33	33	SB 4S 10B S	35	SB 4S 10B T	27
10	3/8 - 1/2	SB 4S 10R H	33	34	SB 4S 10R S	35	SB 4S 10R T	25
12	3/8 - 1/2	SB 4S 12B H	40	40	SB 4S 12B S	42	SB 4S 12B T	34
12	3/8 - 1/2	SB 4S 12R H	42	43	SB 4S 12R S	44	SB 4S 12R T	36
14	3/8 - 1/2	SB 4S 14B H	49	50	SB 4S 14B S	51	SB 4S 14B T	43
14	3/8 - 1/2	SB 4S 14R H	51	52	SB 4S 14R S	53	SB 4S 14R T	45
8 MT								
6	5/8 - 3/4	SB 8S 6B H	27	27	SB 8S 6B S	29	SB 8S 6B T	17
6	5/8 - 3/4	SB 8S 6R H	30	30	SB 8S 6R S	32	SB 8S 6R T	20
8	5/8 - 3/4	SB 8S 8B H	35	35	SB 8S 8B S	37	SB 8S 8B T	25
8	5/8 - 3/4	SB 8S 8R H	34	35	SB 8S 8R S	36	SB 8S 8R T	14
10	5/8 - 3/4	SB 8S 10B H	41	41	SB 8S 10B S	43	SB 8S 10B T	31
10	5/8 - 3/4	SB 8S 10R H	40	41	SB 8S 10R S	42	SB 8S 10R T	30
12	5/8 - 3/4	SB 8S 12B H	52	53	SB 8S 12B S	54	SB 8S 12B T	34
12	5/8 - 3/4	SB 8S 12R H	55	55	SB 8S 12R S	57	SB 8S 12R T	45
14	5/8 - 3/4	SB 8S 14B H	64	64	SB 8S 14B S	66	SB 8S 14B T	54
14	5/8 - 3/4	SB 8S 14R H	64	65	SB 8S 14R S	66	SB 8S 14R T	54

STANDARD FEATURES

- RUGGED AND RELIABLE
- EASY-OPEN SIDE PLATES
- 4 TO 1 DESIGN FACTOR
- METRIC RATED
- LARGE HAND NUTS
- RETAINER ON LATCH PIN
- ANCHOR SHACKLE WITH RETAINER PIN
- BRONZE BUSHING

OPTIONS

- ROLLER BEARINGS
- PROOF LOAD
- MARINE EPOXY PAINT
- HEAVY DUTY J-LATCH
- LARGER SIZES



Single Sheave Johnson Snatch Blocks

2-30 METRIC TONS WLL



SINGLE SHEAVE W/HOOK
& OPTIONAL LATCH



SINGLE SHEAVE
W/SHACKLE



SINGLE SHEAVE
TAILBOARD

W.L.L (METRIC TON)			SWIVEL HOOK	SWIVEL HOOK W/LATCH	SWIVEL SHACKLE		TAILBOARD (NO FITTING)	
SHV OD	WIRE ROPE (IN)	MODEL	WT (LBS.)	WT (LBS.)	MODEL	WT (LBS.)	MODEL	WT (LBS.)
12 MT								
12 MT								
6	3/4 - 7/8	SB 12S 6B H	46	46	SB 12S 6B S	51	SB 12S 6B T	29
6	3/4 - 7/8	SB 12S 6R H	45	47	SB 12S 6R S	51	SB 12S 6R T	30
8	3/4 - 7/8	SB 12S 8B H	56	57	SB 12S 8B S	61	SB 12S 8B T	39
8	3/4 - 7/8	SB 12S 8R H	56	57	SB 12S 8R S	61	SB 12S 8R T	39
10	3/4 - 7/8	SB 12S 10B H	69	70	SB 12S 10B S	74	SB 12S 10B T	52
10	3/4 - 7/8	SB 12S 10R H	71	72	SB 12S 10R S	76	SB 12S 10R T	54
12	3/4 - 7/8	SB 12S 12B H	90	91	SB 12S 12B S	95	SB 12S 12B T	72
12	3/4 - 7/8	SB 12S 12R H	87	88	SB 12S 12R S	92	SB 12S 12R T	69
14	3/4 - 7/8	SB 12S 14B H	103	104	SB 12S 14B S	108	SB 12S 14B T	85
14	3/4 - 7/8	SB 12S 14R H	102	103	SB 12S 14R S	107	SB 12S 14R T	84
16	3/4 - 7/8	SB 12S 16B H	125	125	SB 12S 16B S	130	SB 12S 16B T	108
16	3/4 - 7/8	SB 12S 16R H	130	131	SB 12S 16R S	135	SB 12S 16R T	113
15 MT								
15 MT								
8	3/4 - 7/8	SB 15S 8B H	63	64	SB 15S 8B S	62	SB 15S 8B T	39
8	3/4 - 7/8	SB 15S 8R H	61	62	SB 15S 8R S	60	SB 15S 8R T	39
10	3/4 - 7/8	SB 15S 10B H	76	77	SB 15S 10B S	75	SB 15S 10B T	52
10	3/4 - 7/8	SB 15S 10R H	85	86	SB 15S 10R S	84	SB 15S 10R T	63
12	3/4 - 7/8	SB 15S 12B H	96	97	SB 15S 12B S	95	SB 15S 12B T	71
12	3/4 - 7/8	SB 15S 12R H	92	93	SB 15S 12R S	91	SB 15S 12R T	69
14	3/4 - 7/8	SB 15S 14B H	107	108	SB 15S 14B S	106	SB 15S 14B T	82
14	3/4 - 7/8	SB 15S 14R H	107	108	SB 15S 14R S	106	SB 15S 14R T	84
16	3/4 - 7/8	SB 15S 16B H	135	136	SB 15S 16B S	134	SB 15S 16B T	111
16	3/4 - 7/8	SB 15S 16R H	135	136	SB 15S 16R S	134	SB 15S 16R T	113
20 MT								
20 MT								
8	1 - 1 1/8	SB 20S 8B H	80	81	SB 20S 8B S	95	SB 20S 8B T	46
8	1 - 1 1/8	SB 20S 8R H	80	82	SB 20S 8R S	95	SB 20S 8R T	46
10	1 - 1 1/8	SB 20S 10B H	94	95	SB 20S 10B S	109	SB 20S 10B T	60
10	1 - 1 1/8	SB 20S 10R H	96	97	SB 20S 10R S	111	SB 20S 10R T	62
12	1 - 1 1/8	SB 20S 12B H	104	105	SB 20S 12B S	119	SB 20S 12B T	70
12	1 - 1 1/8	SB 20S 12R H	103	105	SB 20S 12R S	118	SB 20S 12R T	69
14	1 - 1 1/8	SB 20S 14B H	115	117	SB 20S 14B S	130	SB 20S 14B T	81
14	1 - 1 1/8	SB 20S 14R H	121	122	SB 20S 14R S	136	SB 20S 14R T	87
16	1 - 1 1/8	SB 20S 16B H	146	148	SB 20S 16B S	161	SB 20S 16B T	112
16	1 - 1 1/8	SB 20S 16R H	149	150	SB 20S 16R S	164	SB 20S 16R T	115
18	1 - 1 1/8	SB 20S 18B H	171	172	SB 20S 18B S	186	SB 20S 18B T	137
18	1 - 1 1/8	SB 20S 18R H	175	177	SB 20S 18R S	190	SB 20S 18R T	141
30 MT								
30 MT								
20	1 1/8 - 1 1/4	SB 30S 20B H	274	276	SB 30S 20B S	273	SB 30S 20B T	205
20	1 1/8 - 1 1/4	SB 30S 20R H	282	284	SB 30S 20R S	281	SB 30S 20R T	210
24	1 1/8 - 1 1/4	SB 30S 24B H	341	343	SB 30S 24B S	340	SB 30S 24B T	270
24	1 1/8 - 1 1/4	SB 30S 24R H	344	346	SB 30S 24R S	343	SB 30S 24R T	273



WARNING

For warnings, inspection and maintenance information, see
Gunnebo Johnson Corp. General Catalog and inspection and maintenance publications.

Double Sheave Snatch Blocks

W.L.L (METRIC TON)		MODEL	SWIVEL HOOK	SWIVEL HOOK W/LATCH	WITH SWIVEL SHACKLE	
SHV OD	WIRE ROPE (IN)		WT (LBS.)	WT (LBS.)	MODEL	WT (LBS.)

**4 - 20
METRIC TONS WLL**

8 MT						
4	3/8 - 1/2	DB 8D 4B H	28	28	DB 8D 4B S	28
4	3/8 - 1/2	DB 8D 4R H	28	28	DB 8D 4R S	28
6	3/8 - 1/2	DB 8D 6B H	37	37	DB 8D 6B S	37
6	3/8 - 1/2	DB 8D 6R H	37	37	DB 8D 6R S	37

12 MT						
6	5/8 - 3/4	DB 12D 6B H	51	52	DB 12D 6B S	56
6	5/8 - 3/4	DB 12D 6R H	56	57	DB 12D 6R S	61
8	5/8 - 3/4	DB 12D 8B H	62	63	DB 12D 8B S	71
8	5/8 - 3/4	DB 12D 8R H	65	66	DB 12D 8R S	70
10	5/8 - 3/4	DB 12D 10B H	77	78	DB 12D 10B S	82
10	5/8 - 3/4	DB 12D 10R H	76	77	DB 12D 10R S	81
12	5/8 - 3/4	DB 12D 12B H	101	102	DB 12D 12B S	106
12	5/8 - 3/4	DB 12D 12R H	107	108	DB 12D 12R S	112
14	5/8 - 3/4	DB 12D 14B H	124	125	DB 12D 14B S	129
14	5/8 - 3/4	DB 12D 14R H	125	126	DB 12D 14R S	130

15 MT						
6	5/8 - 3/4	DB 15D 6B H	46	47	DB 15D 6B S	45
6	5/8 - 3/4	DB 15D 6R H	47	48	DB 15D 6R S	45
8	3/4 - 7/8	DB 15D 8B H	71	72	DB 15D 8B S	70
8	3/4 - 7/8	DB 15D 8R H	68	69	DB 15D 8R S	67
10	3/4 - 7/8	DB 15D 10B H	83	84	DB 15D 10B S	82
10	3/4 - 7/8	DB 15D 10R H	81	82	DB 15D 10R S	80
12	3/4 - 7/8	DB 15D 12B H	106	107	DB 15D 12B S	105
12	3/4 - 7/8	DB 15D 12R H	112	113	DB 15D 12R S	111
14	3/4 - 7/8	DB 15D 14B H	129	130	DB 15D 14B S	128
14	3/4 - 7/8	DB 15D 14R H	130	131	DB 15D 14R S	129

20 MT						
8	1 - 1 1/8	DB 20D 8B H	91	92	DB 20D 8B S	107
8	1 - 1 1/8	DB 20D 8R H	102	103	DB 20D 8R S	117
10	1 - 1 1/8	DB 20D 10B H	124	125	DB 20D 10B S	139
10	1 - 1 1/8	DB 20D 10R H	129	130	DB 20D 10R S	144
12	1 - 1 1/8	DB 20D 12B H	156	157	DB 20D 12B S	171
12	1 - 1 1/8	DB 20D 12R H	158	159	DB 20D 12R S	173
14	1 - 1 1/8	DB 20D 14B H	184	185	DB 20D 14B S	199
14	1 - 1 1/8	DB 20D 14R H	182	183	DB 20D 14R S	197



TWO SHEAVE
WITH SHACKLE



TWO SHEAVE
WITH HOOK

* OPTIONAL LATCH SHOWN ON HOOK MODEL



Top Dead-End Single Sheave Snatch Blocks

4 - 20
METRIC TONS WLL



TOP DEAD-END WITH SHACKLE



TOP DEAD-END WITH HOOK

W.L.L (METRIC TON)		MODEL	SWIVEL HOOK	SWIVEL HOOK W/LATCH	WITH SWIVEL SHACKLE	
SHV OD	WIRE ROPE (IN)		WT (LBS.)	WT (LBS.)	MODEL	WT (LBS.)

4 MT

4	3/8 - 1/2	TD 4S 4B H	17	18	TD 4S 4B S	19
4	3/8 - 1/2	TD 4S 4R H	17	17	TD 4S 4R S	19
6	3/8 - 1/2	TD 4S 6B H	21	22	TD 4S 6B S	23
6	3/8 - 1/2	TD 4S 6R H	21	22	TD 4S 6R S	23
8	3/8 - 1/2	TD 4S 8B H	26	27	TD 4S 8B S	28
8	3/8 - 1/2	TD 4S 8R H	26	27	TD 4S 8R S	28

8 MT

6	5/8 - 3/4	TD 8S 6B H	30	30	TD 8S 6B S	32
6	5/8 - 3/4	TD 8S 6R H	33	33	TD 8S 6R S	35
8	5/8 - 3/4	TD 8S 8B H	38	38	TD 8S 8B S	40
8	5/8 - 3/4	TD 8S 8R H	37	37	TD 8S 8R S	39
10	5/8 - 3/4	TD 8S 10B H	45	45	TD 8S 10B S	47
10	5/8 - 3/4	TD 8S 10R H	44	44	TD 8S 10R S	46
12	5/8 - 3/4	TD 8S 12B H	57	57	TD 8S 12B S	59
12	5/8 - 3/4	TD 8S 12R H	60	60	TD 8S 12R S	62
14	5/8 - 3/4	TD 8S 14B H	69	69	TD 8S 14B S	71
14	5/8 - 3/4	TD 8S 14R H	69	69	TD 8S 14R S	71

12 MT

6	3/4 - 7/8	TD 12S 6B H	52	53	TD 12S 6B S	57
6	3/4 - 7/8	TD 12S 6R H	52	53	TD 12S 6R S	57
8	3/4 - 7/8	TD 12S 8B H	61	62	TD 12S 8B S	66
8	3/4 - 7/8	TD 12S 8R H	61	62	TD 12S 8R S	66
10	3/4 - 7/8	TD 12S 10B H	74	75	TD 12S 10B S	79
10	3/4 - 7/8	TD 12S 10R H	76	77	TD 12S 10R S	81
12	3/4 - 7/8	TD 12S 12B H	94	95	TD 12S 12B S	99
12	3/4 - 7/8	TD 12S 12R H	91	92	TD 12S 12R S	96
14	3/4 - 7/8	TD 12S 14B H	107	108	TD 12S 14B S	112
14	3/4 - 7/8	TD 12S 14R H	106	107	TD 12S 14R S	111

15 MT

8	3/4 - 7/8	TD 15S 8B H	65	66	TD 15S 8B S	64
8	3/4 - 7/8	TD 15S 8R H	66	67	TD 15S 8R S	65
10	3/4 - 7/8	TD 15S 10B H	78	79	TD 15S 10B S	77
10	3/4 - 7/8	TD 15S 10R H	81	82	TD 15S 10R S	80
12	3/4 - 7/8	TD 15S 12B H	97	98	TD 15S 12B S	96
12	3/4 - 7/8	TD 15S 12R H	96	97	TD 15S 12R S	95
14	3/4 - 7/8	TD 15S 14B H	108	109	TD 15S 14B S	107
14	3/4 - 7/8	TD 15S 14R H	111	112	TD 15S 14R S	110

20 MT

14	1 - 1 1/8	TD 20S 14B H	131	132	TD 20S 14B S	146
14	1 - 1 1/8	TD 20S 14R H	137	138	TD 20S 14R S	152

* OPTIONAL LATCH SHOWN ON HOOK MODEL



WARNING

For warnings, inspection and maintenance information, see
Gunnabo Johnson Corp. General Catalog and inspection and maintenance publications.

Additional Oilfield Applications

GUYLINE BLOCKS



SINGLE SHEAVE			
SHV OD	WIRE ROPE (IN)	WT (LBS.)	MODEL
W.L.L. 5 T			
6	1/2	5	GL 5S6
6	5/8	6	GL 5S6

* 3:1 DESIGN FACTOR

* DO NOT MEET API

DOUBLE SHEAVE			
SHV OD	WIRE ROPE (IN)	WT (LBS.)	MODEL
W.L.L. 10 T			
6	1/2	10	GL 10D6
6	5/8	12	GL 10D6

HAY FORK PULLEY



- US TONS
- LIGHT WEIGHT, RUGGED & RELIABLE
- MANILA OR WIRE ROPE

- 3.3 TO 1 DESIGN FACTOR
- BRONZE BUSHING AND ROLLER BEARING MODELS

EYE FITTING			
SHV OD	WIRE ROPE (IN)	MODEL	WT (LBS.)
W.L.L. 1 MT			
4	1 - 1 1/4	HF1S4BE-MR	7
4	1 - 1 1/4	HF1S4RE-MR	7
4	3/8 - 1/2	HF1S4BE-WR	8
4	3/8 - 1/2	HF1S4RE-WR	7

HOOK FITTING			
SHV OD	WIRE ROPE (IN)	MODEL	WT (LBS.)
W.L.L. 1 MT			
4	1 - 1 1/4	HF1S4BH-MR	7
4	1 - 1 1/4	HF1S4RH-MR	7
4	3/8 - 1/2	HF1S4BH-WR	8
4	3/8 - 1/2	HF1S4RH-WR	7

TONG LINE BLOCKS



- METRIC RATED
- EASY-OPEN SIDE PLATE
- 4 TO 1 DESIGN FACTOR

- BRONZE BUSHING AND ROLLER BEARING MODELS

W.L.L (METRIC TON)		WITH SWIVEL EYE	
SHV OD	WIRE ROPE (IN)	MODEL	WT (LBS.)
2.8 MT			
6	1/2 - 5/8	TL 2.8S 6B E	15
6	1/2 - 5/8	TL 2.8S 6R E	15
8	1/2 - 5/8	TL 2.8S 8B E	21
8	1/2 - 5/8	TL 2.8S 8R E	22
10	1/2 - 5/8	TL 2.8S 10B E	29
10	1/2 - 5/8	TL 2.8S 10R E	28
12	1/2 - 5/8	TL 2.8S 12B E	37
12	1/2 - 5/8	TL 2.8S 12R E	40

LAYDOWN BLOCKS



- METRIC RATED
- EASY-OPEN SIDE PLATE
- 4 TO 1 DESIGN FACTOR

- BRONZE BUSHING AND ROLLER BEARING MODELS

W.L.L (METRIC TON)		WITH SWIVEL EYE & HOOK	
SHV OD	WIRE ROPE (IN)	MODEL	WT (LBS.)
1 MT			
6	1/2 - 5/8	LD 1S 6B H	21
6	1/2 - 5/8	LD 1S 6R H	21
8	1/2 - 5/8	LD 1S 8B H	28
8	1/2 - 5/8	LD 1S 8R H	27



MANHANDLER™ DERRICK BLOCKS

Derrick Snatch Block For Overhead Hoisting Applications

- 4 to 12 Metric Tons WLL
- Standard Galvanized Finish
- Handling Slots in the Body
- Large Knock-off Handles
- Interlocking Internal Design
- For Lifting Materials
- R-Pin Retainers

WLL	MODEL	WIRE ROPE	SHEAVE DIAMETER	WT (LBS)
4T	MHSB4S8TS	3/8" - 1/2"	8"	33
12T	MHSB12S10TS	1/2" - 9/16"	10"	83
12T	MHSB12S14TS	5/8" - 3/4"	14"	122

Personnel Lifting Snatch Block Tether Style Backup Securing System

- 1500 Lbs WLL
- Standard Painted Finish
- For Lifting Personnel
- Sealed Roller Bearings
- Interlocking Internal Design
- R-Pin Retainers
- Secondary Tether Attachment Points

WLL	MODEL	WIRE ROPE	SHEAVE DIAMETER	WT (LBS)
1500 LBS	MHSB1S8RS	3/8" - 7/16"	8"	22



Gunnebo Johnson's Manhandler Snatch Blocks (MHSB) are suitable for personnel hoisting when properly incorporated into a compliant personnel hoist system and maintained in good working order.

See the Manhandler Warnings and Use Limitations Brochure available from Gunnebo Johnson Corp. and your distributor.



WARNING For warnings, inspection and maintenance information, see Gunnebo Johnson Corp. General Catalog and inspection and maintenance publications.

**Quality you can depend on from Gunnebo Johnson Corporation,
an API Q1 and ISO 9001 certified manufacturing center.**



Distributed By



GUNNEBO JOHNSON
CORPORATION

Corporate Office: 1240 North Harvard • Tulsa, OK USA • Toll Free 800-331-5460 • Fax 918-834-0984 • www.gunnebojohnson.com