


# Recubrimientos de Elingas de Plasma

**SUPER - ESCO**  MR





# Oscarina



Item: softy nappa leather  
leather: bovine  
color: black  
caliber. 1.8-2.00 mm  
tanning: mineral (chromium)  
Retanning: vegetable / synthetic  
Drying: togleen / tweezers  
finish: pigmented natural anionic / solvent lacquer.



# Cordura



## TECHNICAL DATA SHEET


### Cables y Equipos

Item	X869NS0400
PRODUCT SYLE	X869-4"
TYPE YARN:	Tex Nylon 6
CONSTRUCTION	Needle Loom
WEAVE:	2/2 Twill
COLOR:	Gray
FINISH:	Pigment Dyed
Put Up Rolls:	300 Foot Roll
Put Up Loose Pack:	

### MATERIAL SPECIFICATIONS

Weight.....lbs/cyds	22.2
Width.....Inches	4" + / - 3/32"
Thickness.....Inches	.075 + / - .010
Picks.....per inch	14
Breaking Strength.....Lbs	

# Velcro



## Material Description

Name: Hook 088  
Material: Nylon  
Color:\* Various

## Dimensional Specifications

Width: +/- 2/32 to 4/32 inch  
Weight:\*\* 4.7 gram per one inch yard (min. avg.)  
Thickness: 0.068 to 0.078 inches (minimum)  
Roll Length: <100 yards (-0, +12 inches)  
= / >100 yards (-0, + 1% of target value)

\*Contact your Customer Specialist for more information on available colors.

## Performance Specifications

Testing	Minimum	Test Method
Peel Strength	1.0 pound per inch width	40011
Shear Strength	8.0 pound per square inch	40012

Tested with: Loop 1000

\*\* Reference Specification Only. (Actual weight varies per width)